



HP LaserJet M1319f MFP



Enhance office efficiency using HP's lowest-priced laser MFP with innovative faxing capabilities.

Quality at an affordable price

Tackle all of your print, copy, fax, and scan jobs with one low-priced, easy-to-use device. The HP LaserJet M1319f MFP provides four-in-one functionality to help you save space and increase efficiency.

Expect value—our products and supplies are backed by our traditional reliability, service, and support. Original HP cartridges have a track record of proven dependability, ensuring you'll get the consistent, high-quality output you require.

Boosts productivity

Start and finish jobs in less time with the device's Instant-on Technology. The Time To Completion of a typical office print job can be more than two times faster with Instant-on Technology.¹ Instant-on Copy with LED-based technology delivers your first copy in seconds.

See better performance and lower costs with the device's host-based printing, which uses the processing power and memory of the host computer rather than that of the MFP. As a result, you won't have to purchase costly additional memory to complete your complex jobs.

Increased functionality

Use your MFP as a phone with the built-in handset. FaxTel allows the device to monitor incoming calls, determine if a call is voice or fax, and ring to notify you of voice calls. To answer voice calls, simply pick up the device's convenient handset.

Enjoy innovative fax solutions. Quickly send and receive faxes at speeds of up to 33.6 kbps. Save frequently used numbers and employ them at the touch of a button with fax speed dial. Never lose faxes again, even when there's no paper or toner—the device securely stores up to 500 received pages. Private receive allows you to print the stored faxes when you're ready for them. Plus, reduce paper waste and time handling unwanted faxes with the junk-fax blocker (requires caller ID).²

¹ Instant-on Technology uses cutting-edge fuser technology to produce the first page faster, so your print job is done sooner. An InfoTrends study shows the typical office print job is three to five pages long:

www.infotrends.com/public/Content/Presentations/officeprinteruse.pdf. Time To Completion of a typical office print job tested on HP and select competing products. Actual results may vary.


² Requires caller ID service, not included. Price and service contract must be negotiated separately. Junk-fax blocker available only in countries where caller ID is available.

HP LaserJet M1319f MFP

- 1 30-sheet ADF scanner quickly processes documents
- 2 Easy-to-use control panel with 10-key number pad and 2-line by 16-character display provides effortless interaction with each of the MFP's functions
- 3 100-sheet face-down output bin
- 4 Built-in handset allows the MFP to function as a phone
- 5 10-sheet priority slot
- 6 Adjustable 250-sheet input tray
- 7 32 MB device memory and a 240 MHz processor quickly and easily handle complex jobs
- 8 Security-lock slot for securing the MFP with a Kensington lock (available for purchase via a third-party vendor)
- 9 Hi-Speed USB 2.0 port
- 10 RJ-11 line-out telephone port
- 11 RJ-11 fax port



Front view



Rear view

Multitasking is easy with this versatile, space-saving MFP.

Easy to use

Enjoy intuitive device operation. Control panel buttons and menus are designed for effortless navigation and the 16-character, backlit display is easy to read.

When there are fewer supplies to replace, there's less hassle for you. All-in-one Original HP print cartridges are designed with all components—toner, drum, and waste bottle—in a single unit, so cartridge replacement is simple.³

Load your documents and walk away. The automatic document feeder (ADF) will take care of the rest, providing unattended scanning and copying. Plus, collated copy automatically sorts your copies for you, so you save valuable time.

Compatibility

You don't have to worry about Microsoft® Windows Vista® compatibility. The HP LaserJet M1319f MFP is Vista-certified, meaning it will work seamlessly with computers running the new operating system.

Compact size

Fit this MFP into cramped spaces and use it where you need it. With the device in close proximity, you'll increase your productivity.

Get the most out of your MFP with HP accessories, supplies, and services.



Q6264A

When you purchase an HP USB cable, connecting your computer to your printer is as easy as plugging in a lamp.



Q2612A

HP's all-in-one print cartridges and toner are specifically designed with the MFP to deliver consistent quality and reliable, trouble-free printing.



Choose from a selection of HP papers to create impressive, professional documents.

HP Imaging and Printing Services provide convenient and configurable solutions that help you get the most value out of your MFP. Investing in long-term value can improve productivity and reduce costs. Choose the level of support that best fits your business needs.

Product	Number
HP LaserJet M1319f MFP	CB536A
Supplies Replacement HP LaserJet Print Cartridge. Average cartridge yield 2,000 standard pages. ³	Q2612A
Connectivity HP Hi-Speed USB Cable	Q6264A
Service and support North America and Latin America HP 2-year Return—E Service HP 3-year Return—E Service HP 1-year Post-Warranty Return—E Service	UH763E UH764E UH766PE
Paper North America: www.hp.com/go/paper Europe: www.hp.com/go/learnaboutsupplies Asia Pacific: www.hp.com/apac/printingsupplies Latin America: contact HP via phone: USA: 1-800-477-5010, Europe: +800 7644 7644, Asia: 65-6253-8500, Australia/New Zealand: 61-2997-2299LAR, Brasil: sac 0800 70 300 70	
Solutions www.hp.com/go/gsc	

³ This MFP includes an introductory print cartridge. Average cartridge yield 1,000 standard pages. Replacement print cartridge yields approximately 2,000 pages (average cartridge yield 2,000 standard pages. Declared yield values for replacement cartridge in accordance with ISO/IEC 19752). Actual yields vary considerably based on images printed and other factors. For more information, visit www.hp.com/go/learnaboutsupplies.

HP LaserJet M1319f MFP

Technical specifications	HP LaserJet M1319f MFP (CB536A)
Print and copy speed⁴	Up to 19 ppm, letter; up to 18 ppm, A4
Document delivery speed	First page out: printing: less than 8.5 seconds, letter; copying: less than 12.6 seconds, letter Time To Completion for a typical office print job: in as few as 18 seconds, letter; in as few as 19 seconds, A4 ⁵
Resolution	Up to 1200 by 600 dpi; REt, HP FastRes 1200
Copying	Resolution: up to 600 by 600 dpi, 24 bit depth; settings: contrast (lighter/darker), resolution copy quality, reduce/enlarge 25 to 400 percent, copy collation, number of copies, paper size
Faxing	V34 fax modem: 3 seconds per page, fax speed: up to 33.6 kbps; resolution best mode: 300 by 300 dpi; digital storage for up to 500 pages, fax forwarding, delayed sending, ring detection, fax polling, broadcasting to up to 119 locations, speed-dial to up to 120 numbers, auto fax reduction, junk barrier, PC interface, auto redialing supported; integrated handset
Scanning	Resolution: up to 600 by 600 dpi, 24 bit (up to 19,200 dpi enhanced); interfaces: walk-up scanning via front control panel with Copy or Fax buttons, remote scanning via Scan To software, HP Director (Macintosh), and TWAIN- or WIA-compliant software; supported file types: JPEG, TIF, BMP, GIF, PDF, PNG
Processor	240 MHz
Memory	32 MB
Durability ratings	Recommended monthly volume: 500 to 2,000 pages ⁶ ; Duty cycle: 8,000 pages ⁷
Paper	
Input	30-sheet automatic document feeder (ADF), 10-sheet priority slot, 250-sheet input tray
Output	100-sheet face-down output bin
Two-sided printing	Manual
Sizes	Priority slot, 250-sheet input tray: 76 by 127 mm (3 by 5 in) to 216 by 356 mm (8.5 by 14 in); A4, A5, A6, ISO B5, JIS B5, 16K (184 by 260 mm [7.24 by 10.24 in] to 197 by 273 mm [7.76 by 10.75 in]), J postcard (Hagaki), double J postcard (Oufuku Hagaki); letter, legal, executive, envelopes (No. 10, B5, C5, DL, Monarch) ADF: 148 by 105 mm (5.83 by 4.13 in) to 215.9 by 355.6 mm (8.5 by 14 in); A4, A5; letter, legal
Weights	Priority slot, 250-sheet input tray: 60 to 163 g/m ² (16 to 43 lb); ADF: 60 to 105 g/m ² (16 to 28 lb)
Types	Paper (plain, preprinted, prepunched, bond, color, letterhead, light, heavy, recycled, rough), envelopes, transparencies, labels, cardstock
Connectivity	
Interfaces	Hi-Speed USB 2.0 port, RJ-11 fax port, RJ-11 line-out telephone port
Languages	Host-based printing
Client operating systems	Windows® 2000, Windows XP® Home, Windows Server 2003, Windows Vista; Mac OS X v10.3.9, v10.4, and higher
Security	Security-lock slot for securing the MFP with a cable lock (available for purchase via a third-party vendor)
Dimensions (w by d by h)	467 by 443 by 459 mm (18.4 by 17.3 by 18.1 in)
Weight (includes print cartridge)	10 kg (22 lb)
What's in the box	HP LaserJet M1319f MFP, power cord(s), introductory HP LaserJet black print cartridge, ⁸ Getting Started Guide, support flyer, software and documentation CDs, control panel overlay, Readiris PRO text recognition software, 250-sheet input tray, output bin support
Warranty	One-year limited warranty

Environmental ranges		Certifications	
Recommended temperature	15 to 32.5 degrees C (59 to 90.5 degrees F)	Safety	IEC 60950-1 (International), EN 60950-1+A11 (EU), IEC 60825-1+A1+A2, UL/cUL Listed (US/Canada), GS License (Europe), EN 60825-1+A1+A2 (Class 1 Laser/LED Device) GB4943-2001, Low Voltage Directive 2006/95/EC with CE Marking (Europe); other safety approvals as required by individual countries
Storage temperature	-20 to 40 degrees C (-4 to 104 degrees F)	EMC	CISPR 22: 2005/EN 55022: 2006 Class B, EN 61000-3-2: 2000+A2, EN 61000-3-3: 1995+A1, EN 55024: 1998+A1+A2, FCC Title 47 CFR, Part 15 Class B (USA), ICES-003, Issue 4, (Canada), GB9254-1998, EMC Directive 2004/108/EC with CE Marking (Europe), other EMC approvals as required by individual countries
Recommended relative humidity	10 to 80 percent	Telecom	TBR-21: 1998; EG 201 121: 1998, FCC Part 68, Industry Canada CS03, NOM-151-SCTI-1999 (Mexico), PTC-200 (New Zealand), AS/ACIF S002: 2001 (Australia), IDA PSTN1 (Singapore), TPS002-01 (Malaysia), IG 0005-11 (Taiwan), HKTA 2011 (Hong Kong SAR), YD514, YD/T589, YD703, GB3382 (China)
Storage relative humidity	0 to 95 percent		
Altitude	3,040 m (10,000 ft)		
Acoustics⁹			
Sound power	Active: 6.4 B(A) printing, 7.4 B(A) copying; Ready: 3.1 B(A)		
Bystander sound pressure	Active: 50 dB(A); Ready: 16 dB(A)		
Power specifications			
Required input voltage	110 to 127 V (±10 percent), 60 Hz (±2 Hz) 220 to 240 V (±10 percent), 50 Hz (±2 Hz)		
Power consumption	Active: 365 watts Sleep: 8 watts Ready: 8 watts Off: 0.1 watts		
Typical Electricity Consumption (TEC): 1.662 KWh/Week			
ENERGY STAR [®] qualified models, see www.hp.com/go/energystar			HP SureSupply enabled. To learn more, visit www.hp.com/learn/suresupply

⁴ Exact speed varies depending on the system configuration, software program, and document complexity. Copy speed measured by a single page with number of copies set to 99. Based on ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.

⁵ An InfoTrends study shows the typical office print job is three to five pages long: www.infotrends.com/public/Content/Presentations/officeprinteruse.pdf. Time To Completion of a typical office print job tested on HP and select competing products. Actual results may vary.

⁶ HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

⁷ Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs.

⁸ Introductory cartridge: Average cartridge yield 1000 pages. Actual yields vary considerably based on images printed and other factors. For more information, visit www.hp.com/go/learnaboutsupplies.

⁹ Values subject to change. See www.hp.com/support for current information. Power reported is the highest value measured using all standard voltages.



ENERGY STAR and the ENERGY STAR mark are U.S. registered marks. Microsoft, Windows, and Windows XP are U.S. registered trademarks of Microsoft Corporation. Windows Vista is either a registered trademark or trademark of Microsoft Corporation in the United States and/or other countries.

© Copyright 2008 Hewlett-Packard Development Company, L.P.

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

