

<b>Brightness</b>	1200 Lumens
<b>Resolution</b>	1080P (1920 x 1080)
<b>Uniformity</b>	85%
<b>Panel System</b>	0.7" TFT Poly-Silicon x3
<b>Number of Pixels</b>	6,220,800 (2,073,600 x 3)
<b>Contrast Ratio (Full on / off)</b>	10000:1
<b>Image Size</b>	40" - 300"
<b>Aspect Ratio</b>	16:9
<b>Projection Lamp (s)</b>	165W UHP
<b>Scanning Frequency</b>	H 15 - 80kHz / V50-100Hz
<b>Dot Clock</b>	100MHz
<b>dB Rating</b>	21.0 (eco mode)
<b>Voltage</b>	100 - 240 V
<b>BTU Rating</b>	840
<b>Power Consumption</b>	246W
<b>Weight</b>	16.5 lbs.
<b>Dimensions (inch)</b>	15.8 x 5.7 x 13.6
<b>Projection Lens (inch)</b>	F 2.0 - 3.0 / f 0.9" - 1.8"
<b>Throw Distance (feet)</b>	3.9' - 60.4'
<b>Zoom / Focus</b>	Manual
<b>Throw Ratio</b>	1.35 - 2.7:1
<b>Zoom Ratio</b>	1:2.0
<b>Up / Down Ratio</b>	3:-1 - -1:3 (Lt / Rt 10:0 - 0:10)

<b>Power Lens Shift</b>	No
<b>Optional Lenses</b>	No
<b>Rear Screen Projection (L / R Reverse)</b>	Yes
<b>Ceiling Mountable (T / B Reverse)</b>	Yes
<b>Digital Keystone Correction</b>	No
<b>Digital Zoom</b>	No
<b>Digital Interface (HDCP Compatible)</b>	Yes
<b>Analog Interface</b>	D-sub 15 pin
<b>USB Port</b>	No
<b>RS-232 Control Carry and / or</b>	Yes
<b>Speaker Output</b>	No
<b>Audio Output</b>	No
<b>PC Monitor Output</b>	No
<b>PC-Less Presentation</b>	No
<b>Wireless Presentation</b>	No
<b>Network Control / Admin</b>	No
<b>Custom Startup Screen</b>	Yes
<b>Detachable Input Panels</b>	No
<b>Shipping Case</b>	No
<b>Remote Control</b>	I/R Remote

